

The International Red Cross and Red Crescent Movement and Lessons from its Experience of War Surgery

Maj D J Vassallo

FRCS (Ed), RAMC

Senior Registrar in General Surgery

Cambridge Military Hospital, Aldershot, Hants GU11 2AN

SUMMARY: This article describes the evolution, motivation and structure of the International Red Cross and Red Crescent Movement, and its contribution to international humanitarian law. It explains the respective roles of its three components: the *National Societies*, the *International Federation of Red Cross and Red Crescent Societies*, and the *International Committee of the Red Cross (ICRC)*. It highlights the ICRC's experience of war surgery and emphasises the relevance of this for the military medical services, especially for the training of military surgeons and anaesthetists.

Introduction

How does a military surgeon or anaesthetist in peacetime acquire and keep updated his or her skills in war surgery?

This article aims to show to the military medical services the value of voluntary postings to the war hospitals of the International Committee of the Red Cross. It also provides the necessary background information about the evolution, motivation and structure of the International Red Cross and Red Crescent Movement.

The Story of an Idea

The Battle

Friday the 24th June 1859 saw over 300,000 men engaged in the bloodiest battle in Europe since Waterloo, a battle which was to cost some 6000 lives and leave another 42,000 wounded. It was fought near Solferino in Lombardy, northern Italy by the combined forces of the French army under the Emperor Napoleon III and the Sardinian army under King Victor-Emmanuel, fighting for the cause of Italian independence, against the Austrian army led by the Emperor Franz-Josef.

By nightfall, when the defeated Austrians retreated from the scene of carnage, the plain was strewn with many thousands of wounded, dying and dead soldiers, with thirst and hunger adding to the torments of the injured. Many died abandoned on the battlefield, but over nine thousand wounded found their way to the nearby town of Castiglione della Stiviere, which was transformed into a vast improvised dressing station.

There a horrified Swiss businessman, Henri Dunant, laboured to organise some relief where it was most lacking. He collected volunteers to care for over five hundred wounded piled into a church, the Chiesa Maggiore, distributing food and water, dressing their wounds, and even taking messages for the victims' families. He was shaken to the core to find that only six

French army doctors were available for the whole nine thousand, and that this was the normal state of affairs after a battle.

In Memory of Solferino

Back in Geneva, haunted by his memories, Dunant inspired to write a book, "Un souvenir de Solferino" which was published in 1862 (1). He depicted the battle in poignant detail, sharing with his readers his depth of feeling on discovering the hitherto suppressed human consequences of war. Dunant's heartfelt appeal - 'Would it not be possible, in time of peace and quiet, to form relief societies for the purpose of having care given to the wounded in wartime by zealous, devoted and thoroughly qualified volunteers?' - struck a chord in hearts all over Europe. One particularly dynamic Geneva lawyer, Gustave Moynier, was galvanised into action and by February 1863 had helped Dunant set up a "International Committee for Relief to Wounded Soldiers", with the aim of setting up these national relief societies.

This Committee (which later became the "International Committee of the Red Cross") was composed of five citizens of Geneva: General Guillaume-Henri Dufour (Commander-in-Chief of the Swiss Army, and renowned as the creator in 1831 of the Swiss flag), Gustave Moynier (later to become president of the Committee for half a century), Henri Dunant, Doctor Louis Appia (deeply interested in military surgery, and author of the book "The Ambulance Doctor or Practical Studies of the Wounds Inflicted by Firearms") and Doctor Theodore Maunoir (2, 3).

The Emblem

Dunant made one further proposal: that the wounded and all those carrying for them, should be regarded as neutral, even on the battlefield, and therefore be immune

from attack (2). All that was required (*sic*) was a single protective emblem for all armies, that would be worn by everyone caring for the wounded, painted on ambulances, and flown over medical units. This emblem would confer upon them a new legal status of "neutrality".

The Birth of the Red Cross (2,4)

The "Committee of Five" called an International Conference in Geneva in October 1863. Enthusiastic support from all over Europe ensured the attendance of thirty-six delegates, including eighteen official representatives from fourteen governments. On the 29th October 1863 ten Resolutions were adopted, defining the functions and working methods of the proposed National Committees for Relief to Wounded Soldiers.

Article 8 of these Resolutions stated that the voluntary medical personnel should wear in all countries, as a uniform distinctive sign, a white armband with a red cross - this sign being adapted from the Swiss flag with its colours reversed.

It was particularly fitting that it was General Dufour, creator of the Swiss flag, who conceived this other flag of universal honour.

These Resolutions are the founding charter of the Red Cross. Within two months the first Relief Society was formed in Wurtemberg, and nine more were formed in the first year.

The British Red Cross Society came into being in 1870, as the "National Society for Aid to the Sick & Wounded in War". It was formally renamed the Red Cross in 1905, received the Royal Charter in 1908, and it will celebrate its 125th birthday in 1995.

The First Geneva Convention (2-5)

In order for Dunant's concept of "neutrality" to acquire binding legal status, it was necessary for it to be embodied in an international treaty, which could only be concluded by a conference convened by a government, so the International Committee dedicated itself to bringing this about. The Swiss Government willingly undertook to convene such a conference in Geneva, and after Napoleon III announced his support for it, delegates from twelve countries gathered in Geneva in August 1864.

Great Britain was represented by Dr Rutherford, Inspector General of Hospitals, and Sir Thomas Longmore, Professor of Military Surgery at the Army Medical School in Netley (5). Thus began the longstanding association between the British Army Medical Services and the Red Cross Movement.

The draft treaty prepared by Moynier was adopted with minimal changes, as the *Geneva Convention of August 22, 1864, for the Amelioration of the Condition of the Wounded in Armies in the Field*.

From now on ambulances, military hospitals and medical staff were to be "recognised as neutral and, as such, protected and respected by the belligerents. "Wounded or sick combatants, to whatever nation they belong, shall be collected and cared for".

At the same time the red cross on a white ground was officially recognised as the protective emblem of the military medical services, with the specific purpose of protecting those wounded in war and those who care for them.

The Red Crescent (3-4)

The red cross on a white ground has no religious significance, having been adopted purely as a tribute to Switzerland. However, during the Russo-Turkish war of 1876, the Ottoman Society for Relief to the Wounded replaced it by a red crescent on a white ground. The red crescent has subsequently been adopted by several Islamic countries, and has been officially recognised as having equal status with the red cross. Thus, both the red cross and the red crescent flew over Allied hospitals and medical units, and protected their vehicles, during the Gulf War of 1990-91.

International Humanitarian Law (2,6)

The First Geneva Convention of 1864 with its ten articles is a milestone in the history of humanity, and the cornerstone of international humanitarian law and the rules of war (6). Previously, any arrangements made to protect the victims of war had been informal, temporary and non-binding, and indeed any formal contracts compelling belligerents to modify their actions on the battlefield had seemed inconceivable. From now on, it was accepted that international laws could apply to the battlefield, and that the provisions of such Conventions were permanent and binding in the event of conflict on the States party to them, even dictating identical humanitarian behaviour towards non-signatories. From this treaty were to stem the Hague Conventions and the Four Geneva Conventions with their Additional Protocols.

Dunant realised that the 1864 Geneva Convention was but a beginning (2). For years he fought, often single-handedly, for the propagation of humanitarian ideals, and for the protection, by diplomatic conventions or international treaties, of prisoners of war, of wounded and shipwrecked members of armed forces at sea, and of civilians in wartime. In 1899, at the Hague, another Convention was signed, adapting the principles of the Geneva Convention to warfare at sea. In 1906, the provisions of the 1864 Convention were improved and supplemented. In 1907, the Fourth Hague Convention defined the categories of combatants entitled to the status of prisoners of war when captured. However, thousands of prisoners were to be thrown into camps for years during the First World War before Dunant's goal of a convention that would lay down provisions for the treatment of prisoners of war was achieved with the signing of the 1929 Convention.

The Four Geneva Conventions of 1949 (3, 7-8)

The First World War also highlighted the need to care for civilian refugees and to protect civilian internees. The

they seldom receive adequate first aid and secondly that their access to hospital is either non-existent or delayed and hazardous. The Medical Division of the ICRC therefore strives to improve first-aid training for combatants and civilians and to provide transport for the wounded. It has also established first aid posts near conflict areas, where wounds are dressed, fractures are splinted, intravenous infusion is started, and antibiotics and analgesics are given, prior to transport to ICRC hospitals (19).

Triage (20-24)

The ICRC hospitals have often been inundated by large numbers of both civilian and combatant war injured, such that the available surgical facilities are overwhelmed. The ICRC has documented its practical, well-tryed system (20-23) for the benefit of anyone, including military medical personnel, who may have to deal with large numbers of war wounded with limited resources.

The triage categories (22) used in ICRC hospitals are:

Category I, requiring urgent surgery and with a good chance of reasonable survival;

Category II, who do not require surgery. (This includes both patients with very slight wounds and those so severely injured as to be unlikely to survive);

Category III, who can wait for non-urgent surgery.

This triage system was used effectively by the Saudi Arabian teaching hospital which treated the majority of American soldiers wounded in the Al-Khobar Scud missile disaster of 25 February 1991 during the recent Gulf War (24).

Wound Classification (25-30)

"Treat the wound not the weapon". Recognition that wound management is determined by the wound severity (i.e., both by the structures involved and more importantly by the overall size of the wound) rather than by the weapon or presumed missile velocity has led to the formulation of the Red Cross Classification of War Wounds (25).

In this system certain features of the wound are scored: the size of Entry and eXit wounds; whether there is a Cavity, Fracture or Vital structure injured; and whether Metallic foreign bodies are present. Subsequent analysis allows the wound to be graded according to the amount of tissue damage. *Grade 1* signifies low energy transfer, *Grade 2* high energy transfer, and *Grade 3* a massive wound. The wounds can also be typed according to structures injured, Soft Tissue, F, V, or VF. Grading and typing place any regional wound into one of 12 categories of comparable clinical significance.

This provides a new means of understanding, communicating, and gathering information about war wounds and their management (25-26A). For instance, it has shown that certain small uncomplicated Soft Tissue fragment wounds can be treated initially without surgery (26B).

An important application of this Classification is in assessing whether one or both sides of a conflict are using ammunition that contravenes the Hague Declaration of 1899, which specifically forbids the use of small arms ammunition that disrupts in the body after impact to cause unnecessarily severe wounds (27-28).

Since its inception the Red Cross Classification has been used in all ICRC hospitals. It has also proven its worth in the evaluation of civilian shotgun wounds in the United Kingdom (29) and in the assessment of wounded military personnel treated in a British field hospital in the 1991 Gulf War (30).

Wound Excision, Dressings and Delayed Primary Closure (31-35)

"The proper treatment of wounds is to be regarded as the most important requirement for the surgeon" Billroth 1871.

The basic principles of war wound management, known to military surgeons for centuries (16-18), and rightly emphasized by the ICRC (31-35), involve excision of all dead tissue and foreign materials, and the decompression of viable tissue affected by the injury. If this is well performed, infectious complications are prevented. After adequate wound excision, dry and bulky dressings are undisturbed until the time of delayed primary closure days later (31-34).

In ICRC hospitals patients are not evacuated after initial surgery. This is particularly advantageous, for it gives the surgeon the best possible opportunity to improve his technique, by assessing the results of his initial excision when the dressings are removed.

Penetrating Head Injuries (36)

Surgeons in ICRC hospitals, like most military surgeons, usually have minimal previous neurosurgical experience, and moreover have no facilities for evacuation to neurosurgical units. The surgery recommended by the ICRC therefore focuses on haematoma evacuation and the prevention of brain abscess (36).

Blood Transfusion (37-38)

It has been observed that the patients requiring most blood in ICRC hospitals are those injured by antipersonnel mines, who sustain large wounds mainly of the lower extremities (37-38), and who often undergo amputation. Surprisingly little has been written about transfusion requirements in war, which makes the ICRC experience all the more important.

The ICRC recommendations are that where antipersonnel mines are used widely in a conflict, the blood bank should expect to provide 100 units of blood for every 100 patients (37). For every 100 patients with an amputation, 345 units should be provided, and this requirement will continue long after hostilities have ceased (38).

War Surgery and Anaesthesia (31, 39-50)

The ICRC has published a practical fieldbook, *Surgery for Victims of War* (31), loosely based on older military war surgery fieldbooks (18), summarising the experience of eminent specialists in various disciplines. This reflects the fact that ICRC hospitals have to serve both as field hospitals and as definitive centres combining primary, secondary and basic reconstructive surgery (20), for which problem area certain guidelines have been developed (39-40). A feature of note is that there are no facilities for prolonged, postoperative ventilation of patients: there is a correspondingly greater reliance on the use of ketamine and locoregional blocks for anaesthesia (41). On a personal level, individual surgeons and anaesthetists, on their return from postings to ICRC hospitals, have documented their experiences (42-50). All have benefited from such attachments.

Vascular and Abdominal Injuries (51-56)

The ICRC experience of vascular injuries reflects the fact that evacuation of the wounded to ICRC hospitals is by road, and is at best difficult, with over 60% of patients arriving more than 12 hours after injury (44, 51). This lag time between injury and treatment is the single most important prognostic variable for limb salvage. Revascularisation is only attempted in patients seen within 12 hours of injury, with primary amputation being almost inevitable in patients arriving after 12 hours (52-54).

Penetrating abdominal injuries requiring laparotomy are dealt with in ICRC hospitals by established surgical techniques (31, 35, 55-56). The main area of controversy lies in the treatment of colonic injury by selective primary repair in up to half the patients, rather than by colostomy, especially if the injury to the left colon is minor, and resection and immediate ileocolic anastomosis for all right colon injuries. The guidelines for performing colostomy for transverse and left colonic injuries are: i. shocked patient; ii. other severe intra-abdominal injuries; iii. delay in presentation; and iv. marked faecal contamination (56).

Limbs, Amputations and Mine Injuries (31, 57-67)

Over 70% of all war wounded patients present with limb wounds. With so many limb injuries, surgical amputations of both lower and upper limbs at every level are common. Most of the severe limb injuries and traumatic amputations result from antipersonnel mines, which are widely used and very difficult to detect.

The exceptionally high blood transfusion requirements for amputees (345 units for every 100 amputees) presents obvious logistic problems. In addition, war-injured patients with an amputation face more serious problems than non-amputees: their mortality is higher, they stay longer in hospital, the risk of infection is higher, and they undergo more surgical interventions (38).

Mines respect no ceasefire, they remain long after a conflict and they do not discriminate between the footstep

of a child and that of a combatant. The ICRC has been forthright in its condemnation of the indiscriminate use of landmines: "*Mines are the greatest violators of international humanitarian law, practising blind terrorism*" (57-58).

Three recognisable patterns of mine injury are seen in ICRC hospitals, and the ICRC has issued guidelines (31, 59-61), and produced an excellent video (62), *Anti Personnel Mine Injuries - Surgical Management*, to assist its surgeons in performing optimal amputations.

The ICRC has also recently published a book, *War Wounds of Limbs - Surgical Management* (63), written primarily for the surgeon about to enter the field, which guides the surgeon through war wounds and mine injuries, the surgeon's role, methods of amputation, the complications and difficulties encountered and the rehabilitation of the patient.

A recent review describes the ICRC method of using external fixation in combination with plaster splints or skeletal traction such that it can be "locked" or "unlocked" as required (64). This method eliminates many of the disadvantages of external fixation, in particular minimising delay in callus formation and pin problems.

The ICRC has widely publicised the lessons it has learnt in war surgery specifically to educate medical and nursing personnel (65), both civilian and military, who may eventually have to face such problems themselves. Who would have imagined three years ago, for instance, that the civilian surgeons of Europe's largest University Teaching Hospital - in Sarajevo - would have had to familiarise themselves with these lessons?

Moreover, such is the scale of the indiscriminate effects of antipersonnel mines on both individuals and communities that the ICRC is actively raising public awareness of this problem (66). It organised an international symposium on mine warfare and the effects of mines in Montreux in April 1993, since when a campaign to ban mines has commenced, and the United Nations is actively reviewing existing law, the 1980 United Nations Convention (67).

Conclusions

The origins of the International Red Cross and Red Crescent Movement lay in the humanitarian desire of Henri Dunant to aid the military medical services in caring for war wounded. Now, ironically, the hospitals of the ICRC daily deal with more victims of war than many military surgeons see in a lifetime of practice.

The author therefore advocates that it is time for the military medical services around the world to repay their debt to the Red Cross by actively encouraging their surgeons, anaesthetists and other theatre personnel to volunteer for temporary secondment with the ICRC.

At a time when realistic peacetime military training is increasingly difficult to achieve, and when the few suitably experienced military surgeons are leaving the

services, such postings would also have the obvious benefits to the military medical services of excellent training, of enlarging the pool of experienced personnel, and of encouraging such personnel to remain in the Services.

The author suggests that the ICRC video on Anti-Personnel Mine Injuries should be shown to all military medical personnel. Whilst there are some differences in doctrine between the ICRC and the military medical services, e.g. on evacuation policy, there is such unanimity on basic management principles that the ICRC fieldbook "*Surgery for Victims of War*" and the book "*War Wounds of Limbs - Surgical Management*" should be standard issue to all military surgeons (alongside the Field Surgery Pocket Book which is currently the only surgical text issued to RAMC doctors). Lastly, the Red Cross wound classification could profitably be adopted by the military medical services. This would help to standardise the recording of wounds from different conflicts, and aid ballistic and wound research.

ICRC surgical doctrine and practice, as exemplified in these books and its hospitals, may well soon become even more relevant to the military medical services. This is because the current trend would appear to be away from working within a system of structured evacuation chains and more and more towards working in humanitarian missions with the United Nations, with emphasis on providing and teaching adequate first aid and non-operative management, and devoting the limited surgical resources to those who require semi-urgent surgery for survival or for improved quality of survival (68).

Only by regularly dealing with a full spectrum of war wounds can military medical personnel hope to acquire and maintain their skills in war surgery.

Acknowledgements

I would like to express my gratitude to Lt General Sir Cameron Moffat KBE, FRCS, Chief Medical Adviser to the British Red Cross, to Robin Coupland FRCS, Surgeon with the Medical Division ICRC, to Bertrand Kern, External Resources Division ICRC, to Colonel J M Ryan MCh FRCS, Late RAMC, Professor of Military Surgery, and to Major A M O Miller RE, my brother-in-law, for their generous help with constructive criticism of this article.

REFERENCES

- DUNANT H. *Un Souvenir de Solferino*. Geneva: 1862; *A Memory of Solferino*. Geneva: International Committee of the Red Cross, 1986.
- BOISSIER P. *Henry Dunant*. Geneva: Henry Dunant Institute, 1974.
- BORY F. *Red Cross and Red Crescent: Portrait of an International Movement*. Geneva: International Committee of the Red Cross.
- BOISSIER P. *History of the International Committee of the Red Cross. Volume I: From Solferino to Tsushima*. Geneva: Henry Dunant Institute, 1985.
- OLIVER B. *The British Red Cross in Action*. London: Faber & Faber, 1966: 79.
- BORY F. *Origin and Development of International Humanitarian law*. Geneva: International Committee of the Red Cross, 1982.
- The Geneva Conventions of 12 August 1949*. Geneva: International Committee of the Red Cross, 1949, 1986 (reprint).
- Basic Rules of the Geneva Conventions and their Additional Protocols*. Geneva: International Committee of the Red Cross, 1983, 1987 (reprint).
- BACCINO-ASTRADA A. *Manual on the Rights and Duties of Medical Personnel in Armed Conflicts*. Geneva: International Committee of the Red Cross/League of Red Cross and Red Crescent Societies, 1982.
- PICET J. *Red Cross Principles*. Geneva: International Committee of the Red Cross, 1956.
- The Fundamental Principles of the Red Cross and Red Crescent Movement*. Geneva: International Committee of the Red Cross, 1990.
- The Red Cross*. Geneva: Henry Dunant Institute, 1973.
- DURAND A. *History of the International Committee of the Red Cross. Volume II: From Sarajevo to Hiroshima*. Geneva: Henry Dunant Institute, 1984.
- DJUROVIC G. *The Central Tracing Agency of the International Committee of the Red Cross*. Geneva: Henry Dunant Institute, 1986.
- RUSSBACH R. "The International Committee of the Red Cross and Health". *International Review of the Red Cross* 1987; **260**: 513-522.
- PERRIN P. "Strategy for Medical Assistance in Disaster Situations." *International Review of the Red Cross*, 1991; **284**: 494-504.
- WANGENSTEEN O H, WANGENSTEEN S D, KLINGER C F. "Wound Management of Ambroise Paré and Dominique Larrey, great French Military Surgeons of the 16th and 19th Centuries". *Bulletin of the History of Medicine* 1972; **46**: 207-234.
- EDWARDS H C. "The contribution of war to the advancement of surgery". *J R Army Med Corps* 1956; **102**: 234-246.
- KIRBY N G, BLACKBURN G. (eds): *Field Surgery Pocket Book*. London, HMSO, 1981.
- KORVER A J H. "Outcome of war-injured patients treated at first aid posts of the International Committee of the Red Cross". *Injury* 1994; **25**: 25-30.
- TROUWBORST A, WEBER B K, DUFOUR D. "Medical statistics of battlefield casualties". *Injury* 1987; **18**: 96-99.
- GRAY R. "Surgery of war and disaster". *Tropical Doctor*. 1991; **21**: (Suppl 1): 56-60.

22. COUPLAND R M, PARKER P J, GRAY R C. "Triage of war wounded: the experience of the International Committee of the Red Cross". *Injury* 1992; **23**: 507-510.
23. Gray R. "War surgery and triage". *Postgraduate Doctor Middle East* 1993; **16**: 150-157.
24. AHLBERG A, COREA J R, SADAT-ALI M, *et al*. "The scud missile disaster in Al-Khobar, Saudi Arabia, 1991: the orthopaedic experience". *Injury* 1994; **25**: 97-98.
25. COUPLAND R M. The Red Cross Wound Classification. Geneva: International Committee of the Red Cross, 1991.
- 26A COUPLAND R M. "The Red Cross Classification of War Wounds: The E.X.C.F.V.M. Scoring System: *World J Surg* 1992; **16**: 910-917.
- 26B COUPLAND R M. "Hand Grenade Injuries among Civilians". *JAMA* 1993; **270**: 624-626.
27. Weapons that may cause unnecessary suffering or have indiscriminate effects: Report on the work of experts. Geneva: International Committee of the Red Cross, 1973.
28. COUPLAND R M, HOIKKA V, SJOEKLINT O G, CUENOD P, CAUDERAY G C, DOSWALD-BECK L. "Assessment of bullet disruption in armed conflicts". *Lancet* 1992; **339**: 35-37.
29. STEWART M P M, KINNINMONTH A. "Shotgun wounds of the limbs" *Injury*. 1993; **24**: 667-670.
30. BOWYER G W, STEWART M P M, RYAN J M. "Gulf war wounds: application of the Red Cross wound classification". *Injury* 1993; **24**: 597-600.
31. DUFOR D, KROMAN JENSEN S, OWEN-SMITH M, SALMELA J, STENING C F, ZETTERSTROM B. Surgery for Victims of War. Geneva: The International Committee of the Red Cross, 1988.
32. GRAY R, WINIGER E. War Surgery: An Introduction (video). Geneva: ICRC Audio-Visual Division, 1988.
33. COUPLAND R M "Technical aspects of war wound excision". *Br J Surg* 1989; **76**: 663-667.
34. COUPLAND R M "War wound excision". *Br J Surg* 1990; **77**: 833.
35. MORRIS D S. "Surgeons and the International Committee of the Red Cross". *Aust NZ J Surg* 1992; **62**: 170-172.
36. COUPLAND R M, PERONEN P E. "Cranio-cerebral war wounds: non-specialist management". *Injury* 1992; **23**: 21-24.
37. ESHAYA-CHAUVIN B, COUPLAND R M. "Transfusion requirements for the management of war injured: the experiences of the International Committee of the Red Cross". *Br J Anaesth* 1992; **68**: 221-223.
38. KORVER A J H. "Amputees in a hospital of the International Committee of the Red Cross". *Injury* 1993; **24**: 607-609.
39. COUPLAND R M. "The role of reconstructive surgery in the management of war wounds". *Ann R Coll Surg Engl* 1991; **73**: 21-25.
40. COUPLAND R M "A management algorithm for chronically exposed war wounds of bone". *Injury* 1990; **21**: 101-103.
41. ESHAYA-CHAUVIN B, NYFFENEGGER E. "Anesthésie pour blessés de guerre: étude rétrospective". *Rev Med Suisse Romande* 1990; **110**: 429-432.
42. MORRIS D, SUGRUE W, MCKENZIE E. "On the border of Afghanistan with the International Committee of the Red Cross". *N Z Med J* 1985; **98**: 750.
43. GERTSCH P. "Assessment of hospital workload in war surgery". *Br J Surg* 1987; **74**: 831-833.
44. RAUTIO J, PAAVOLAINEN P. "Afghan war wounded: experience with 200 cases". *J Trauma* 1988; **28**: 523-525.
45. HOWELL P R, COUPLAND R M "Experiences of a British Red Cross surgical team on the Afghanistan border". *Today's Anaesthetist* 1988; **3**: 187-192.
46. COUPLAND R M, HOWELL P R "An experience of war surgery and wounds presenting after 3 days on the border of Afghanistan". *Injury* 1988; **19**: 259-262.
47. CRAIG G. "Treating the Afghan war wounded". *J R Soc Med* 1993; **86**: 404-405.
48. BOWYER G W. "Amputations for Mine Injuries – Experience from the Afghan Conflict" Abstract, Proceedings of the Defence Medical Services Surgical Meeting, London, October 1993.
49. BOWYER G W. "To Cut or Not to Cut – the Management of Small Fragment Wounds" Abstract, Proceedings of the Defence Medical Services Surgical Meeting, London, October 1993.
50. BOWYER G W. "Report on a surgical attachment to the International Committee of the Red Cross War Surgery Hospital" 21 Nov 1993 (Report to Prof M. J. Surg, unpublished).
51. BHATNAGAR M K, SMITH G S. "Trauma in the Afghan Guerilla War: Effects of lack of access to care". *Surgery* 1989; **105**: 699.
52. GERTSCH P. "Lésions vasculaires des blessés de guerre afghans traitées à l'hôpital du CICR à Peshawar". *Milit Med* 1986; **2**: 46-47.
53. FASOL R, IRVINE S, ZILLA P. "Vascular injuries caused by anti-personnel mines". *J Cardiovasc Surg* 1989; **30**: 467.
54. GOSSELIN R A, YUKKA SIEGBERG C J, COUPLAND R, AGERSKOV K. "Outcome of arterial repairs in 23 consecutive patients at the ICRC-Peshawar hospital for war wounded". *J Trauma* 1993; **34**: 373-376.
55. FASOL R, ZILLA P, IRVINE S, VON OPPELL U. "Thoraco-abdominal injuries in combat casualties on the Cambodian border". *Thorac Cardiovasc Surg* 1988; **1**: 33-36.
56. MORRIS D S, SUGRUE W J. "Abdominal injuries in the war wounded of Afghanistan: a report from the International Committee of the Red Cross Hospital in Kabul". *Br J Surg* 1991; **78**: 1301-1304.
57. Mines: A Perverse Use of Technology. Geneva: International Committee of the Red Cross, 1992.

58. DOUCET I. "The Cowards' War: Landmines and Civilians". *Med War* 1993; **9**: 304-316.
59. COUPLAND R M. "Amputation for antipersonnel mine injuries of the leg: preservation of the tibial stump using a medial gastrocnemius myoplasty". *Ann R Coll Surg Engl* 1989; **71**: 405-408.
- 60A COUPLAND R M, KORVER A. "Injuries from anti-personnel mines: the experience of the International Committee of the Red Cross". *Br Med J* 1991; **303**: 1509-1512.
- 60B COUPLAND R M. "Hospital Mortality of Patients Injured by Antipersonnel Mines". *Br Med J* 1992; **304**: 1509.
61. COUPLAND R M. Amputation for War Wounds. Geneva: International Committee of the Red Cross, 1992.
62. Antipersonnel Mine Injuries – Surgical Management (Video). Geneva: ICRC Audio-Visual Division, 1993.
63. COUPLAND R M. War Wounds of Limbs – Surgical Management. Oxford: Butterworth-Heinemann, 1993.
64. COUPLAND R M. "War wounds of bones and external fixation". *Injury* 1994; **25**: 211-217.
65. SEWELL A. "The wounds of war". *Nursing Standard* 1991; **5**: 19-20.
66. LIMERICK S R. "The International Red Cross and Red Crescent Movement". *J R Coll Physicians Lond* 1991; **25**: 246-251.
67. COUPLAND R M, Russbach R. "Victims of Anti-personnel Mines: What is being done?" *Medicine & Global Survival*. 1994; **1**: 18-22.
68. Coupland R M. "Epidemiological Approach to Surgical Management of the Casualties of War". *Br Med J* 1994; **308**: 1693-1697.