

Supplementary File 3. Self-declared binary symptom prevalence of the six most prevalent chronic symptoms at 5-months (5-months) followed-up at 12- and 18-months post exposure to COVID-19, compared to controls.

Symptom	Timepoint (months)	COVID n (%)	Controls n (%)	Recov n (%)	Symptom n (%)	Comm n (%)	Hosp n (%)
Anosmia	5	6 (11)	0 (0)	0 (0)	6 (14)	4 (13)	2 (8)
	12	5 (9)	0 (0)	2 (15)	3 (7)	5 (16)	0 (0)
	18	2 (4)	1 (7)	0 (0)	2 (5)	2 (6)	0 (0)
Fatigue	5	28 (50)	1 (7)	0 (0)	28 (65)	15 (48)	13 (52)
	12	24 (43)	2 (14)	2 (15)	22 (51)	12 (39)	12 (48)
	18	17 (30)	1 (7)	2 (15)	15 (35)	5 (16)	12 (48)
Shortness of Breath	5	34 (61)	0 (0)	0 (0)	34 (79)	17 (55)	17 (68)
	12	14 (25)	0 (0)	0 (0)	14 (33)	4 (13)	10 (40)
	18	6 (11)	0 (0)	0 (0)	6 (14)	1 (3)	5 (20)
Chest Pain	5	14 (25)	0 (0)	0 (0)	14 (33)	9 (29)	5 (20)
	12	6 (11)	0 (0)	3 (23)	3 (7)	5 (16)	1 (4)
	18	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Joint Pain	5	11 (20)	0 (0)	0 (0)	11 (26)	5 (16)	6 (24)
	12	15 (27)	1 (7)	1 (8)	14 (33)	7 (23)	8 (32)
	18	7 (13)	1 (7)	0 (0)	7 (16)	3 (10)	4 (16)
Exercise Intolerance	5	13 (23)	0 (0)	0 (0)	13 (30)	9 (29)	4 (16)
	12	6 (11)	0 (0)	0 (0)	6 (14)	3 (10)	3 (12)
	18	3 (5)	1 (7)	0 (0)	3 (7)	2 (6)	1 (4)

Recov=recovered, Symptom=symptomatic, comm=community, Hosp=hospitalized.